CALPHAD

AUTHOR AND SUBJECT INDEX

VOLUME 18 (1994)

PERGAMON

Pergamon

Calphad Vol. 18, No. 4, pp. 443–450, 1994
Copyright © 1994 Elsevier Science Ltd
Printed in Great Britain. All rights reserved
0364-5916/94 $7.00 + 0.00

0364-5916(94) 00026-3

AUTHOR INDEX

CALPHAD: Computer Coupling of Phase Diagrams and Thermochemistry

VOLUME 18 (1994)

C. Bernard
Laboratoire de Thermodynamique et
Physico-Chimie Metallurgiques
ENSEEG, Domaine Universitaire, BP75,
38402 Saint Martin d'Hères Cedex, France

ANDERSON T. 492
ANGLEZIO J.C. 498
ANGLEZIO J.C. 499
ANSARA I. 486
ANSARA I. 488
ANSARA I. 492
ANSARA I. 498
ANSARA I. 499
ANSARA I. 500
ARGENT B.B. 492
BERNARD C. 503
BLOK J.G. 496
BUTT D.P. 477
CHART T.G. 492
CHATILLON C. 492
CLAVAGUERA N. 489
CLAVAGUERA-MORA M.T. 489
COWS C. 489
COUGHANOWR C.A. 488
DELAEY 485
DELAEY L. 483
DELAEY L. 493
DINSDALE A.T. 502
DU S. 505
DUPIN N. 500
GALABOVA I.M. 495
GOUJARD S. 503
GRUJICIC M. 484
GUENEAU C. 500
HAJRA J.P. 481
HALLSTEDT B. 480
HARALAMPIEV G.A. 495
HILLERT M. 480
HILLERT M. 492
HOCH M. 506
HOWALD R.A. 479
ISHIDA K. 492
JIANRONG Y. 491
JIXIN W. 497
KJEBON O. 505
KLINGBEIL J. 507
KUMAR K.C.H. 483
KUMAR K.C.H. 493
KWON H.S. 494
LEE H.M. 494
LIM S.S. 487
LIN L. 485
LOPEZ D.O. 504
LOURDUDOSS S. 505
LUKAS H.L. 488
LUKAS H.L. 492
NISHIZAWA T. 492
OHTANI H. 492
OONK H.A.J. 496
OONK H.A.J. 504
REDDY S.R. 481
ROSSITER P.L. 487
SAXENA S.K. 482
SAXENA S.K. 490
SCHMID-FETZER R. 507
SCHNITTER J. 478
SCHUIJFF A. 496
SELLEBY M. 480
SELLEBY M. 486
SERVANT C. 498
SERVANT C. 499
SERVANT C. 500
SHI P. 482
SOH J.R. 494
SORENSON J.M. 501
SUNDMAN B. 480
SUNDMAN B. 482
SUNDMAN B. 490
SUNDMAN B. 492
SWAMY V. 490
TAMARIT J.L.L. 504
VAN BRAAK J. 504
VAN DER BIEST O. 485
VAN DER KEMP W.J.M. 496
VAN DER LINDE P.R. 496
VAN HECKE J.M. 501
VANDENBULCKE L. 503
VERDON M.L. 496
WALLACE T.C. 477
WATSON A. 491
WATSON A. 492
WOLLANTS P. 483
WOLLANTS P. 485
WOLLANTS P. 493
ZHANG Z. 482

SUBJECT INDEX

CALPHAD: Computer Coupling of Phase Diagrams and Thermochemistry

VOLUME 18 (1994)

C. Bernard
Laboratoire de Thermodynamique et
Physico-Chimie Metallurgiques
ENSEEG, Domaine Universitaire, BP75,
38402 Saint Martin d'Hères Cedex, France

477
A simple method for calculating two-phase equilibria in ternary systems.
BUTT D.P., WALLACE T.C.
Calphad, (1994), vol.18, t.1, p.1-7.

478
The recognition of invariant equilibria in binary systems from isothermal sections through the phase diagrams.
SCHNITTER J.
Calphad, (1994), vol.18, t.1, p.9-20.

479
Interpolation in a non-ideal ternary: MgO-CaO-AlO1.5.
HOWALD R.A.
Calphad, (1994), vol.18, t.1, p.21-30.

480
Modelling acid and basic slags.
HALLSTEDT B., HILLERT M., SELLEBY M., SUNDMAN B.
Calphad, (1994), vol.18, t.1, p.31-37.

481
Thermodynamics and phase equilibria in the In-Sb system.
REDDY S.R., HAJRA J.P.
Calphad, (1994), vol.18, t.1, p.39-45.

482
Thermodynamics of the Ca-Mg-Fe-Al-Si-O pyroxenes: part I: theorical model and assessment of the Ca-Mg-Si-O system.
SHI P., SAXENA S.K., ZHANG Z., SUNDMAN B.
Calphad, (1994), vol.18, t.1, p.47-69.

483
Thermodynamic calculation of Nb-Ti-V phase diagram.
KUMAR K.C.H., WOLLANTS P., DELAEY L.
Calphad, (1994), vol.18, t.1, p.71-79.

484
An analysis of the isothermal isobaric chemical vapor infiltration of TiB2.
GRUJICIC M.
Calphad, (1994), vol.18, t.1, p.81-88.

485
A simple method for the calculation of equilibrium phase diagrams.
LIN L., WOLLANTS P., VAN DER BIEST O., DELAEY L.
Calphad, (1994), vol.18, t.1, p.89-98.

486
Thermodynamic analysis of the Ni-Ta system.
ANSARA I., SELLEBY M.
Calphad, (1994), vol.18, t.1, p.99-107.

487
CVM model calculation of the Al-Mg-Ag phase diagram.
LIM S.S., ROSSITER P.L.
Calphad, (1994), vol.18, t.2, p.113-123.

488
Assessment of the Cr-Si system.
COUGHANOWR C.A., ANSARA I., LUKAS H.L.
Calphad, (1994), vol.18, t.2, p.125-140

489
Calculation of the Tin-Tellurium system.
CLAVAGUERA-MORA M.T., COMAS C., CLAVAGUERA N.
Calphad, (1994), vol.18, t.2, p.141-155.

490
An assessment of the one-bar liquidus phase relations in the MgO-SiO2 system.
SWAMY V., SAXENA S.K., SUNDMAN B.
Calphad, (1994), vol.18, t.2, p.157-164.

491
An assessment of phase diagram and thermodynamic properties of the Gallium-Indium-Antimony system.
JIANRONG Y., WATSON A.
Calphad, (1994), vol.18, t.2, p.165-175.

492
A binary database for III-V compound semiconductor system.
ANSARA I., CHATILLON C., LUKAS H.L., NISHIZAWA T., OHTANI H., ISHIDA K., HILLERT M., SUNDMAN B., ARGENT B.B., WATSON A., CHART T.G., ANDERSON T.
Calphad, (1994), vol.18, t.2, p.177-222.

493
Thermodynamic reassessment and calculation of Fe-Ti phase diagram.
KUMAR K.C.H., WOLLANTS P., DELAEY L.
Calphad, (1994), vol.18, t.2, p.223-234.

494
Thermodynamic evaluation and phase diagram of PbO-TiO2 system.
SOH J.R., LEE H.M., KWON H.S.
Calphad, (1994), vol.18, t.3, p.237-244.

495
Evaluation of slag components' activity by thermodynamic data.
HARALAMPIEV G.A., GALABOVA I.M.
Calphad, (1994), vol.18, t.3, p.245-253.

496
Binary alkaline earth oxide mixtures: estimation of the excess thermodynamic properties and calculation of the phase diagrams.
VAN DER KEMP W.J.M., BLOK J.G., VAN DER LINDE P.R., OONK H.A.J., SCHUIJFF A., VERDONK M.L.
Calphad, (1994), vol.18, t.3, p.255-267.

497
Thermodynamic optimization for Al-La system.
JIXIN W.
Calphad, (1994), vol.18, t.3, p.269-272.

498
Contribution to the experimental and thermodynamic assessment of the Al-Ca-Fe-Si system. I: Al-Ca-Fe, Al-Ca-Si, Al-Fe-Si and Ca-Fe-Si :
ANGLEZIO J.C., SERVANT C., ANSARA I.
Calphad, (1994), vol.18, t.3, p.273-309.

499
A study of the Si-rich domain of the Al-Ca-Fe-Si quaternary system.
ANGLEZIO J.C., SERVANT C., ANSARA I.
Calphad, (1994), vol.18, t.3, p.311-318.

500

Thermodynamic assessment of the Si-Zr system.
GUENEAU C., SERVANT C., ANSARA I., DUPIN N.
Calphad, (1994), vol.18, t.3, p.319-327.

501
A simple method for equal gibbs energy analysis of phase boundaries.
SORENSON J.M., VAN HECKE G.R.
Calphad, (1994), vol.18, t.3, p.329-333.

502
Summary of the proceedings of the joint CALPHAD XXIII - CAMSE 94 meeting, 12-17 june 1994, Wisconsin, USA
DINSDALE A.T.
Calphad, (1994), vol.18, t.4, p.337-368.

503
Thermodynamic study of the chemical vapour deposition in the Si-B-C-H-Cl system.
GOUJARD S., VANDENBULCKE L., BERNARD C.
Calphad, (1994), vol.18, t.4, p.369-386.

504
Thermodynamic phase diagram analysis of three binary systems shared by five neopentane derivatives.
LOPEZ D.O., VAN BRAAK J., TAMARIT J.L.L., OONK H.A.J.
Calphad, (1994), vol.18, t.4, p.387-396.

505
Optimisation of interaction parameters for Ga(x)In(1-x)As(y)-P(1-y) solid solutions using gas-solid equilibrium data and a sublattice model.
LOURDUDOSS S., DU S., KJEBON O.
Calphad, (1994), vol.18, t.4, p.397-408.

506
Thermodynamics of aqueous and water-organic solutions of electrolytes from very dilute to saturated concentrations.
HOCH M.
Calphad, (1994), vol.18, t.4, p.409-428.

507
Phase equilibria in some In-As-Metal systems.
KLINGBEIL J., SCHMID-FETZER R.
Calphad, (1994), vol.18, t.4, p.429-440.

acid or basic slags: model 480
Ag-Al-Cu-Mg 502
Ag-Sb-Zn liquid 502
Al-C-Ti 502
Al-Ca-Fe-Si 498
Al-Ca-Fe-Si 499
Al-Cr-Ir-Si-Co 502
Al-Cu-Mg-Ag 502
Al-Fe-Si 502
Al-In-As-Pd 502
Al-La 497
Al-Mg 502
Al-O-Nb 502
Al-Sb 502
Al-Ti 502
Al-Ti-B 502
Al-V-Ti 502
alkaline earth oxide mixtures 496
AlO1.5-MgO-CaO 479
aqueous; water-organic solutions 506
As-Cu 502
As-Fe 502
As-Ga-Ni 502
As-metal-In 507
As-Pd-Al-In 502
Au-Sb-Zn liquid 502
B-Al-Ti 502
B-C-H-Cl-Si, CVD 503
B-Fe 502
B-Nd 502
Ba-Y-Cu 502
Bi-Cu-O 502
Bi-O 502
Bi-Sb-Pb-Sn 502
Bi-Sr-Ca-Cu-O 502
Bi2O3-SrO-CaO-CuO 502
C-H-Cl-Si-B, CVD 503
C-Ti-Al 502
C-U-Zr spreadsheet method 477
Ca-Cu-O-Bi-Sr 502
Ca-Cu-O-Sr 502
Ca-Fe-Si-Al 498
Ca-Fe-Si-Al 499
Ca-Mg-Si-O 482
calculation method 485
calculation method 501
CaO-AlO1.5-MgO 479
CaO-CuO-Bi2O3-SrO 502
Cl-Si-B-C-H, CVD 503
Co-Al-Cr-Ir-Si 502
Cr-Ir-Si-Co-Al 502
Cr-Si 488
Cu-As 502
Cu-Ba-Y 502
Cu-In-Pb 502
Cu-Mg-Ag-Al 502
Cu-O 502
Cu-O-Bi 502
Cu-O-Bi-Sr-Ca 502
Cu-O-Sr-Ca 502
Cu-Sb 502
Cu-Sb-Zn liquid 502
CuO-Bi2O3-SrO-CaO 502
CVM model 'Al-Mg-Ag' 487
Fe-As 502
Fe-B 502
Fe-Nd 502
Fe-Ni-O 502
Fe-Si-Al 502
Fe-Si-Al-Ca 498
Fe-Si-Al-Ca 499
Fe-Sn 502
Fe-Ti 493
first principle study 502
Ga(x)In(1-x)As(y)P(1-y) 505
Ga-In-Sn 491
Ga-Ni-As 502
H-Cl-Si-B-C, CVD 503
HfO2-Y2O3-MgO 502
III-V database 492
In-As-metal 507
In-As-Pd-Al 502
In-P-Metal 502
In-Pb-Cu 502
In-Sb 481
In-Sn-Ga 491
invariant equilibria 478
Ir-Si-Co-Al-Cr 502
La-Al 497
lattice stability V, Cr, Fe groups 502
metal-In-As 507
Metal-In-P 502
Mg-Ag-Al-Cu 502
Mg-Al 502
Mg-Si-O-Ca 482
MgO-CaO-AlO1.5 479
MgO-HfO2-Y2O3 502
MgO-SiO2 one-bar liquidus 490
monte carlo simulation 502
multiple magnetic states 502
Nb-Al-O 502
Nb-Ti-V 483
Nb-Y-O 502
Nd-B 502
Nd-Fe 502
neopentane derivatives 504
new databases 502
Ni-As-Ga 502
Ni-O-Fe 502
Ni-Si 502

Ni-Ta 486
O-Bi 502
O-Bi-Cu 502
O-Bi-Sr-Ca-Cu 502
O-Ca-Mg-Si 482
O-Cu 502
O-Fe-Ni 502
O-Nb-Al 502
O-Nb-Y 502
O-Sr-Ca-Cu 502
O-Ti-Y 502
P-Metal-In 502
Pb-Cu-In 502
Pb-Sn-Bi-Sb 502
PbO-SiO2 494
Pd-Al-In-As 502
rare earth-Mg 502
Sb-Al 502
Sb-Cu 502
Sb-In 481
Sb-Pb-Sn-Bi 502
Sb-Zn-Ag liquid 502
Sb-Zn-Au liquid 502
Sb-Zn-Cu liquid 502
Se-Te 502
Si-Al-Ca-Fe 498
Si-Al-Ca-Fe 499
Si-Al-Fe 502
Si-B-C-H-Cl, CVD 503
Si-Co-Al-Cr-Ir 502
Si-Cr 488
Si-Ni 502
Si-O-Ca-Mg 482
Si-Zr 500
Si-Zr 502
silicate melts 502
SiO2-MgO one-bar liquidus 490
SiO2-PbO 494
slag components activity 495
Sn-Bi-Sb-Pb 502
Sn-Fe 502
Sn-Ga-In 491
Sn-Te 489
Sr-Ca-Cu-O 502
Sr-Ca-Cu-O-Bi 502
SrO-CaO-CuO-Bi2O3 502
Ta-Ni 486
Te-Se 502
Te-Sn 489
Te-Zn 502
Ti-Al 502
Ti-Al-C 502
Ti-Al-V 502
Ti-B-Al 502
Ti-Fe 493
Ti-V-Nb 483
Ti-Y-O 502
TiB2: Chemical Vapor Infiltration 484
U-Zr-C spreadsheet method 477
V-Nb-Ti 483
V-Ti-Al 502
Y-Cu-Ba 502
Y-O-Nb 502
Y-O-Ti 502
Y2O3-MgO-HfO2 502
Zn-Ag-Sb liquid 502
Zn-Au-Sb liquid 502
Zn-Cu-Sb liquid 502
Zn-Te 502
Zr-C-U spreadsheet method 477
Zr-Si 500
Zr-Si 502